

Brake Pad Replacement

Tested Model: TOYOTA HILUX 2025


Function Description: Execute this function when brake pad replacement is required.



Supported Products: Launch PRO or PAD series comprehensive diagnostic equipment

Execution Conditions: None

Procedure:

1. On a PRO3, choose [Local Diagnose], and then choose [TOYOTA] for testing.





Toyota/Lexus Diagnostic Software V51.70

Update

Summary:



- Added support for the DTC, freeze frame, data stream, and actuation test functions of 2026MY Toyota models such as bZ4X Touring, Rav4 HEV, Mirai, Land Cruiser, Hilux, Sienna HV, Highlander HV, Corolla Cross, Yaris Cross HV, Coaster, Levin, Corolla. Added support for the DTC, freeze frame, data stream, and actuation test functions of 2026MY Lexus models such as IS300h, IS350, ES350e, ES500e, UX300h. Added support for common special functions of 2026MY Toyota models such as bZ4X Touring, Rav4 HEV, Mirai, Land Cruiser, Hilux, Sienna HV, Highlander HV, Corolla Cross, Yaris Cross HV, Coaster, Levin, Corolla. Added support for common special functions of 2026MY Lexus models such as IS300h, IS350, ES350e, ES500e, UX300h. Updated the service function of Toyota to 2026. Updated the service function of Lexus to 2026.

New Functions:

- Added support for the DTC, freeze frame, data stream, and actuation test functions of 2026MY Toyota models such as bZ4X Touring, Rav4 HEV, Mirai, Land Cruiser, Hilux, Sienna HV, Highlander HV, Corolla Cross, Yaris Cross HV, Coaster, Levin, Corolla.
- Added support for the DTC, freeze frame, data stream, and actuation test functions of 2026MY Lexus models such as IS300h, IS350, ES350e,



- Click [Automatic Search (Europe and Other)] to automatically identify the vehicle model. You can choose your region in [Set Area]; for this test, choose [Europe and Other].



3. Confirm the vehicle information, and then click [OK].

1:52 28%

Vehicle Information

TOYOTA V51.70 > Automatic Search > Europe and Other > Hilux > GUN1## > 1GD-FTV > PICK UP > 2025.01- > w/o Smart Key... 12.23V

Items	Description
Area	Europe and Other
VIN (Vehicle Identification Number)	MR0BA8CD50
Vehicle Name	Hilux
Model	GUN1##
Engine Type	1GD-FTV
Year	2025.01-

Manual Select OK

SN:988
TOYOTA

Home Copy Add Photo Back

1:52 28%

Vehicle Information

TOYOTA V51.70 > Automatic Search > Europe and Other > Hilux > GUN1## > 1GD-FTV > PICK UP > 2025.01- > w/o Smart Key... 12.23V


Items	Description
Engine Type	1GD-FTV
Year	2025.01-
Travel Mileage	45153 km
Cruise Type	Others
Smart Key	w/o Smart Key
Car Type	PICK UP

Manual Select OK


SN:988
TOYOTA

Home Copy Add Photo Back


4. Choose [Anti-lock Braking System (ABS)/Vehicle Stability Control (VSC)/Traction Control System (TRC)] and click [ENTER].




5. Choose [Special Function].




6. Choose [Brake Pad Replacement (Operation Guide)].




7. Follow the on-screen prompts and then click [OK]








8. Follow the on-screen prompts and then click [OK]



9. Follow the on-screen prompts and then click [OK]



10. Brake pad replacement is completed. Click [OK] to exit the function.



Statement:

The content of this document is copyrighted by LAUNCH TECH CO., LTD., and no individual or organization may quote or reprint it without consent.