

GM Chevrolet Suburban 2021 Reset History Buffer


Supported Equipment: Launch's full range of comprehensive diagnostic equipment

Current Equipment: PRO3S+



Function Description: This function is required following collision repairs, replacement or removal/installation of bumpers and brackets, servicing of front radar or cameras, body structural repairs, or when fault codes related to the impact buffer or crash protection system are triggered.

Tested Model: 2021 GM Chevrolet Suburban, VIN: 1GNSKDKD9MR*****

1. It is necessary to stop the vehicle before performing this function. On a PRO3S+, choose [Local Diagnose].



2. Choose [GM] to test.



GM Diagnose V50.41

INTRODUCTION

This diagnostic software can test the ECUs of GM Models,including:



Engine Control Module, Transmission Control Module,Antilock Braking System, Supplemental Inflatable Restraint,Body Control Module, Instrument Panel Cluster, Heating and Air Conditioning, Tire Pressure Monitor, Electronic Suspension Control, Radio, Driver Door Module, Driver Position Module, Passenger Door Module, Remote Control Door Lock Receiver, Vehicle Comm. Interface Module, Immobilizer, Amplifier and so on.

Basic Functions:



- Reading ECU information
- Reading DTCs
- Clearing DTCs
- Reading vehicle running data
- Vehicle component operation test





3. Choose [Automatically Search] to identify vehicle models automatically.




4. Operate according to the prompts "Turn Ignition ON (Turn The Key To On Position. For Push-Start Vehicle, Please Long Press The Start Button For 5-10s To Turn Ignition On)".



5. Click [FSBRM_L] to enter the system.




6. Choose [Special Functions].




SN:989347
CHEVROLET Suburban Z71 2021
VIN 1GNSKDKD9MR

7. Choose [Reset History Buffer].





SN:989347
CHEVROLET Suburban Z71 2021
VIN 1GNSKDKD9MR

8. Operate according to the prompt "Press The Confirm Button To Start The Process."



9. Before execution, confirm that the seatbelt is securely fastened.





Statement:

The content of this document is copyrighted by LAUNCH TECH CO., LTD., and no individual or organization may quote or reprint it without consent.