Mitsubishi Outlander - PHEV KOS (Keyless Operating System) Key Registration

Tested Model: Mitsubishi Outlander - PHEV 2022

Function Description:

This function is used for key registration when all Mitsubishi anti-theft keys are lost or additional keys are matched.

Execution Conditions:

- Connector connected and ignition switch ON
- In N or P gear
- Parking brake applied
- Engine started

Procedure:

1. On a PAD 5, choose [Local Diagnose], and then choose [Mitsubishi] for testing.



UN scan Common American European Asian Chinese Can Bus Pin Detection Purchase MITSUBISHI Vehicle Version Information Software ID Version # MITSUBISHI Value Value Value MITSUBISHI Value Value Value Version # MITSUBISHI Value Value Version # MITSUBISHI Value Value Version # MITSUBISHI Value Value Value Version # Mitsubishi Diagnostic Software V35.20 Value	E 1				_				• * •	🕈 🕈 📘 91% 2:30 PM
Vil scan Common American European Asian Chinese Can Bus Pin Detection Purchase Witsubisti Verbicle Version # Version # Witsubishi Diagnostic Software V35.20 Visubishi Diagnostic Software V35.20 Version # MITSUBISHI V35.20 Version # Mitsubishi Diagnostic Software V35.20 Version # <td>Local Diagno</td> <td>se</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Q Enter the r</td> <td>model name</td>	Local Diagno	se							Q Enter the r	model name
Introduction Image: Introduction Im	VIN scan All	Common	American	European	Asian	Chinese	Can Bus Pin Det	ection	Purchase	
Image: Constraint of the second se	Dispresities for MITSUBISHI by 0.400	21								
Image: Constraint of the second se										
Image:	0	P	æ						G	Ð
Vehicle Version Information Image: Contract of the contract of t	a t								• * •0	🕈 🕈 🔳 91% 2:30 PM
Software ID Version # MITSUBISHI V35.20 Mitsubishi Diagnostic Software V35.20 Update Summary: Optimized special function, optimized software structure. New Functions:	Vehicle Versi	on Inforn	nation					ŵ	ē	ŀ
MTSUBISHI V35.20 MItsubishi Diagnostic Software V35.20 Update Summar: • Optimized special function, optimized software structure. New Functions • Added DPF graphic display for ECLIPSE CROSS model. Ditimized Functions • Optimized ADAS function. • Optimized ADAS function. • Optimized ADAS function. • Optimized function for OUTLANDER(GM#) models. Fixed Bugs • Fixed DTC display issue for OUTLANDER(GM#) models. Mintenance Service Update • None. Vehicle Coverage OK	Software ID				,	Version #				
Mitsubishi Diagnostic Software V35.20 Update Summary: • Optimized special function, optimized software structure. New Functions: • Added DPF graphic display for ECLIPSE CROSS model. Optimized ADAS function. • Optimized ADAS function. • Optimized ADAS function. • Optimized full system data stream and special function for OUTLANDER(GM#) models. Fixed Bugs: • Fixed DTC display issue for OUTLANDER(GM#) models. Maintenance Service Update: • None.	MITSUBISHI				,	√35.20				
Update Summary: • Optimized special function, optimized software structure. New Functions: • Added DPF graphic display for ECLIPSE CROSS model. Optimized Functions: • Optimized ADAS function. • Optimized full system data stream and special function for OUTLANDER(GM#) models. Fixed Bugs: • Fixed DTC display issue for OUTLANDER(GN#) models. Maintenance Service Update: • None.			Mitsu	bishi Dia	gnosti	c Softw	are V35.20			
Summary:	Update									
Vehicle Coverage OK	Summary: Optimized special fu New Functions: Added DPF graphic o Optimized Functions: Optimized ADAS fun Optimized full system Fixed Bugs: Fixed DTC display is: Maintenance Service Upd None	nction, optimized fisplay for ECLIP: ction. n data stream an sue for OUTLAND ate:	I software structur SE CROSS model. Id special function XER(GN#) models.	e. for OUTLANDER(GM#) model	8,				
Venue doverage OK	 None. 							Vehicle	e Coverane	OK
	-							veniici	e coverage	UK

2. If the device can read and identify the VIN, it will automatically go to step 3, otherwise the following VIN input interface will be displayed. Input the VIN and click OK. If the car model can be identified, it will go to step 3. If the VIN cannot be identified, you need to manually select the menu to enter the diagnosis.

				9 30 ♥	🖥 64% 4:08 PM
Vehicle Version Information	n .		A		B
Software ID		Version #			
MITSUBISHI		V35.20			
M	liteuhishi Diagnos Input	tic Software V35 Value	20		
Update Summary:	Input The VIN For The Sensitive) Caution: If You Do Not Cancel To Manually Se CANCEL	Vehicle (Not Case Know The VIN, Click lect The Path. OK			
			Vehicle	Coverage	ок
Q 🗖 📇			0 (à t	

3. Click OK.

				• * O	7	64% 4:08 P	M
Vehicle Version Informatio	n		ft 👘			ŀ	
Software ID	Version #						
MITSUBISHI	Vehicle Information						
Update Summary: • Optimized special function, optimized softwa New Functions: • Added DPF graphic display for ECLIPSE CROS Optimized Functions: • Optimized Functions: • Optimized full system data stream and speci Fixed Bugs:	VIN: Market: Others Vehicle Model: OUTLANDER-PHEV (GG#) Model Year: 2019 Mode Code GG2W XDHHZR Engine: 4B11-S61-Y61 Gearbox: F1EKA-F1E1A Brake: Drive: Steering: Suspension: Body:)					
Fixed DTC display issue for OUTLANDER(GN) Maintenance Service Update:	ок						
None.							
			Vehicle Cove	rage		ок	
Q 🗠 📇		D	ĥ		Ð		

4. Choose IMMO. Click [ENTER].



5. Click [Special Function].

	🕈 🐮 💎 🔳 90% 2:31 PM
Show Menu	A 🗹 🔿 🕞
MITSUBISHI V35.20 > As Of 2006 > North Of America > OUTLANDER-PHEV > 20	22 > 4812-S61-Y61 > F1EKA-F1E1A > GG3W > XDHHZL2M > KOS/lm 🕮11.99V
	Please enter keyword
Module Information	Read Fault Code
Clear Fault Code	Read Data Stream
Read Freeze Frame	Actuation Test
Special Function	Coding

VIN 12341234123412344					
<i>Q</i> P @				ŵ	Ð
■ v <u>t</u>				9 #	🛈 🕈 🔳 90% 2:31 PM
Show Menu		ft.	Ľ		P
MITSUBISHI V35.20 > As Of 2006 > North O	f America > OUTLANDER-PHEV > 20	22 > 4B12-S61-Y61 > F1EKA-F1	E1A > GG3W	> XDHHZL2M > K Q Pleas	08/Im. 🖻 12.00V e enter keyword
Module Information		Read Fault Code			
Clear Fault Code	Na	otes			
Read Freeze Frame	Note: Because It Needs Knowledge For Registr Select, Delete Or Reset	s The Professinal ration, SO When You The Item Related With			
Special Function	The Security Key, Plese Selected Item And Exec	Pay Attention To The cution			
	NO	YES			
VIN 12341234123412344					
Q 🖻 😬				ĥ	Ð

6. Click [KOS Key Registration].

🖬 👳 <u>t</u>		🕈 🗘 🕈 🛢 50%	2:32 PM
Show Menu	A	I	}
MITSUBISHI V35.20 > As Of 2006 > North Of America > OUTLANDER-PHEV > 202	2 > 4812-S61-Y61 > F1EKA-F1E1A > GG3W >	XDHHZL2M > KOS/Im 🖻	312.00V
		Q Please enter ke	eyword
Communication Test	KOS Key Registration		
Match Smart Key	Read password		

VIN 12341234123412344					
9 🖻 🕖	\$			ĥ	Ð
• • <u>t</u>				9 1 0	90% 2:32 PM
Show Menu		A		ē	F
MITSUBSHEV35.20 > As OF 2006 > North ()FAmerica > OUTLANDER PHEV > 20	22 × 4812-561 Y61 × F1EKA F1	ELA > QGŚW > N	аннисим» коз/ С Please e	m. 🖽 12.00V nter keyword
Communication Test		KOS Key Registration			
Match Smart Key	No	Read password			
	Are You Sure To Perfor	m This Function?			
	NO	YES			
VIN 12341234123412344					
Q 🖻 🦉	5			ŵ	€

7. Click [Perform].

a w t				♥ \$ ⊕ ♥	90% 2:32 PM
KOS Key Registration		f	Z.	ē	ŀ
MITSUBISHI V35.20 > As Of 2006 > North Of America > OUTLANDER-PHEV > 20	022 > 4B12-S61-Y61 >	F1EKA-F1E1A	> GG3W > X	DHHZL2M > KOS/Im	⊞12.01V
Items			Value		
Present Registration Number			1		
					_
Exit			Perform		
VIN 12341234123412344					
Q 🗖 🖾		C)	<u>ن</u> ا)

8. Click OK.

📾 👳 🛨				9 ≵ ⊕ ♥ I	90% 2:32 PM
KOS Key Registration		f	e		ŀ
MITSUBISHI V35.20 > As Of 2006 > North Of A	America > OUTLANDER-PHEV > 2022 > 4B12-S61-Y61	> F1EKA-F1E1	A > GG3W > XD	HHZL2M > KOS/Im	. ⊞12.01V
Items			Value		
Present Registration Number	Notes		1		
	 If the vehicle is equipped with a key insert the KOS key into the key slot an OK. If the vehicle is not equipped with a slot, when the engine switch indicator flashes after you press OK, move the k to the engine switch. Note: To add KOS key registration, registered KOS key. To apply for a sec code, use the KOS key used when app the security code. 	r slot, d press lamp KOS key use the urity lying for			
Exit					
VIN 12341234123412344					
0 🖻 🖷		(c D	

9. Click OK.

• • <u>t</u>				9 # 0 1	90% 2:32 PM
KOS Key Registration		f	E		F
MITSUBISHI V35.20 > As Of 2006 > North Of America > OUTLANDER-PHEV > 20	022 > 4B12-S61-Y61	> F1EKA-F1E1/	4 > GG3W > XDI	HHZL2M > KOS/I	m €∃11.99V
Items			Value		
Present Registration Number			1		
Ne	otes				
Security Info. Check Completed/Password File For Security Code' Registration.	Security Info. Check Completed:Password Entry' Or 'Approval File For Security Code' Is Required For Registration.				
	ок				
Exit					
VIN 1934193419341					
Q 🏹 🕀		C		ŵ	Ð

$10. \ \ \, \mbox{Input the 4-digit anti-theft password and click OK.}$

				• * •	💎 🔳 90% 2:32 PM
KOS Key Registration		A			P
MITSUBISHI V35.20 > As Of 2006 > North Of Americ	a > OUTLANDER-PHEV > 2022 > 4B12-	S61-Y61 > F1EKA-	1E1A > GG3W >	XDHHZL2M > KOS	/lm ⊞11.99V
Items			Value		
Present Registration Number			1		
	Input Value				
PI 0, Th 1. 2.	ease Input Password With 4 I 1,2,3,4,5,6,7,8,9,A,B,C,D,E,F] ne Following Passwords Are B MIRAGE In China:0A11; Others:004F; CANCEL	Digit:[Range: For Reference: OK			
Exit					
VIN 12341234123412344					
Q 🖻 😬				ŵ	Ð

11. Click OK if you need to register additional keys, or click [CANCEL] if you only want to register the current key.

a v t				♥ \$ •D ♥	90% 2:32 PM
KOS Key Registration		f	e		P
MITSUBISHI V35.20 > As Of 2006 > North Of America > OUTLANDER-PHEV > 2	2022 > 4B12-S61-Y61	> F1EKA-F1E1/	4 > GG3W > XI)HHZL2M > KOS/Ir	n 🖻11.99V
Items			Value		
Present Registration Number			1		
N	lotes				
Completed. If You Want Additiona The Key Into The Key Button Within 60sec. CANCEL	l Key Registratio SLOT,And Press ок	n,Insert Ok			
Exit					
VIN 12341234123412344					
Q 🔤 🖽		(۵.	5

Statement:

The content of this document is copyrighted by LAUNCH TECH CO., LTD., and no individual or organization may quote or reprint it without consent.